


MR38-AR



MR60-AR




Specification

Unit : mm


Model No.	Table Size	Travel Stroke	Rotation Accuracy	Micrometer Minimum Reading	Offset (Eccentric)	Allowable Loading (kgf)	Weight (kg)	Material	Surface Finish
MR38-AR	Ø 38	Cursory 360° Fine ± 5°	0.2°	≒ 1'26"/ Vernier	0.05	1	0.09	Aluminum alloy	Black anodized
MR60-AR	Ø 60			≒ 55"/ Vernier		3	0.28		
MR85-AR	Ø 85		0.1°	≒ 43"/ Vernier		4	0.48		
MR110-AR	Ø 110			≒ 34"/ Vernier		5	0.75		

★ MR series have been integrated with the brass rotation interface.


MR38-AR




MR60-AR





MR85-AR





MR110-AR



MR50-AR-48



MR85-S



Specification


Unit : mm

Model No.	Table Size	Axis	Travel Stroke	Micrometer Minimum Reading	Offset (Eccentric)	Allowable Loading (kgf)	Weight (kg)	Material	Surface Finish
MR50-AR-48	Ø 50	Θ -axis	±5.5°	0.1°	0.05	1.8	0.26	Aluminum alloy	Black anodized
MR85-S	Ø 85		360° Cursory ±5.5° (Fine)			6	1	Stainless stell	




- ★ Combinable with MC1B (P.149) 、MC2B (P.150) 、MC4B (P.151) 、MC1C (P.152)
- ★ MRE-60AL requires ASAP 60° (page 233)

MRE40-A



MRE60-A



Specification

Unit : mm

Model No.	Table Size	Travel Stroke	Micrometer Minimum Reading	Offset (Eccentric)	Allowable Loading (kgf)	Weight (kg)	Material	Surface Finish
MRE40-A	Ø 40	Cursory 360°	2°	0.05	5	0.14	Aluminum alloy	Black anodized
MRE60-A	Ø 60		1°		7	0.2		


MRE85-A




MRE110-A



MRE85-A



MRE110-A





Specification



Unit : mm

Model No.	Table Size	Travel Stroke	Micrometer Minimum Reading	Offset (Eccentric)	Allowable Loading (kgf)	Weight (kg)	Material	Surface Finish
MRE85-A	Ø 85	Cursory 360°	1°	0.05	8	0.4	Aluminum alloy	Black anodized
MRE110-A	Ø 110				9	0.66		



MMT-38



MMT-52



MMT-66



Specification

Unit : mm

Model No.	Table Size	Magnetic (kgf)	Parallelism	Weight (kg)	Material	Surface Finish
MMT-38	12*38*51	1.0	0.015	0.3	Carbon steel	Black Zinc plated
MMT-52	12*52*63	3.3	0.02	0.6		
MMT-66	12*66*80	3.8	0.02	1.2		

★ Customized mounting holes are available in case the holes do not match.